
### Lesson 5

# The Use Case Approach To Software Requirements: Unity At The Basis Of Diversity

### **Basic RUP OOAD Activities**



## **Module Main Points**


Theme: Use cases are a widely adopted approach to capturing functional system requirements.

- 1. The main elements of a RUP Software Requirements Specification:
  - use case models,
  - supplementary specifications,
  - glossary.
- 2. A use case is a sequence of actions performed by an actor interacting with the system to achieve a goal, showing how the goal might succeed or fail to be reached
- 3. Use cases are described in terms of flows and scenarios. A scenario is a single path through a use case. A flow is a set of scenarios that result in the same sort of outcome (e.g., success vs failure flows).

## **Requirements Analysis Objectives**

- Understand the content and purpose of the components of a modern Software Requirements Specification
  - ▲ Use cases
  - Supplementary Specifications
  - Requirements Glossary
- Understand how use cases are developed, structured, and used
- Understand how use cases integrate and drive the entire software lifecycle


# **Role of Requirements Analysis in Life Cycle**



Iterations

- Inception: identify most use cases, detail critical ones
- Elaboration: complete about 80% of use cases

### **Software Requirements Specification**



### **Better Approach to Requirements**

- Previous requirements documents often arbitrary collection of paragraphs
  - ▲ Poor fit with both business reengineering and implementation
- State requirements in terms of how end-users use the system
   Easier for end-users to understand and relate to

# **Requirements Analysis Topics**

- > A modern software requirements specification (SRS)
- Use-Case Model

▲ Use cases drive entire development lifecycle

- ▲ Use case diagrams
- ▲ Use case descriptions
- ▲ Guidelines for developing use cases
  - ∧ Business rules in use cases
  - ∧ Structuring complex use cases
- Supplementary Specs
- Glossary
- Review

### What Is a Use Case?

- A way in which a user interacts with a system in order to achieve some goal
- ➢ Goal and the use case can often be used interchangeably
- > Example: Withdraw money use case
  - A Bank Customer identifies himself or herself, and system verifies
  - A Bank Customer chooses from which account to withdraw money and specifies how much to withdraw, and system deducts the amount from the account and dispenses the money

### **Summary: Use Cases Drive Overall Development**

Use cases form the basis of a modern SRS document. Organizing the requirements document around user goals and actions facilitates user understanding of the requirements and the eventual validity of the finished system.

# **Requirements Analysis Topics**


- > A modern software requirements specification (SRS)
- Use-Case Model
  - ▲ Use cases drive entire development lifecycle

▲ Use case diagrams


- ▲ Use case descriptions
- ▲ Guidelines for developing use cases
  - ∧ Business rules in use cases
  - ∧ Structuring complex use cases
- Supplementary Specs
- ➢ Glossary
- Review

### **Use-Case Model = Diagrams and Descriptions**

The use-case model is composed of usecase diagram(s) and use-case descriptions




### **Use Case Diagram Basic Components**




### **Use-Case Modeling: Actors**

- The use case model starts in the Inception Phase with the identification of actors and principal use-cases.
- Actors are <u>not</u> part of the system--they represent anyone or anything that must interact with the system




### **A User May Have Different Roles**

- The same person might appear as different actors
- > Does the person use the system in a significantly different manner in the different roles?




### Actors are External to the System



### **Example: List of Actors and Use-Cases**

- > Actors
  - ▲ Library Member
  - ECardCatalog
  - ▲ Librarian
- Use cases
  - Search book
  - Check-in books
  - Check-out books
  - ▲ Manage members

### Example: Use-Case Model: Use-Case Diagram



## **Group Exercise**

- Each group create a use case diagram for our Compro Admission Project.
- > Think about actors and possible use cases

# **Requirements Analysis Topics**

> A modern software requirements specification (SRS)

### Use-Case Model

- ▲ Use cases drive entire development lifecycle
- ▲ Use case diagrams

▲ Use case descriptions

- ▲ Guidelines for developing use cases
  - ▲ Business rules in use cases
  - ∧ Structuring complex use cases
- Supplementary Specs
- Glossary
- Review

# **Requirements Analysis Topics**

> A modern software requirements specification (SRS)

### Use-Case Model

- ▲ Use cases drive entire development lifecycle
- ▲ Use case diagrams


▲ Use case descriptions

- ▲ Guidelines for developing use cases
  - ▲ Business rules in use cases
  - ∧ Structuring complex use cases
- Supplementary Specs
- Glossary
- Review

### **Use Case Descriptions**

### Name

- Brief description
- Flows of Events
- Relationships
- Activity and State diagrams
- Use-Case diagrams
- > Special requirements
- Preconditions
- Postconditions
- Other diagrams



### **Review: What Are Scenarios ?**

- > A scenario is an instance of a use case
- > One path

### **Use-Case Flows of Events**

- A use case "flow" is a collection of scenarios that have a common structure
- A use case has one normal, basic flow and possibly several other alternative flows to handle:
   Regular variants
  - ∧Odd cases
  - Exceptional flows handle error situations

## **Use-Case Description Example (1/4)**

### **Checkout Book**

This use case allows the librarian to check-out books that library members want to borrow.

#### Actors

#### Librarian

#### Flow of Events

#### 4.1 Basic Flow

User Action	System Response
1. The librarian enters the library member's ID and requests the system to retrieve the member information	<ol> <li>The system retrieves the library member's name, address and phone number together with the list of books he/she has borrowed, and shows this information on the Checkout form. The system also retrieves the current balance that the library member owes the library for overdue books.</li> </ol>
2. The librarian enters the ID of the book being checked out, and requests the system to retrieve information on the book.	<ol> <li>The system retrieves the book title, author list and ISBN number and shows this information on the screen.</li> </ol>
3. The librarian requests the system to checkout the book.	<ol> <li>The checked-out book is added to the members checked-out book list, and fields that show the book information are cleared.</li> </ol>

## **Use-Case Description Example (2/4)**

### **Alternate Paths**

### Library Member Not Found

If the member id does not exist, the system displays a message that the member id cannot be found.

### **Book Not Found**

If the book id does not exist, the system displays a message that the book id cannot be found.

Library member pays some amount towards his negative balance.

User Action	System Response
<ol> <li>The librarian enters the library member's ID and requests the system to retrieve the member information</li> </ol>	<ol> <li>The system retrieves the library member's name, address and phone number together with the list of books he/she has borrowed, and shows this information on the Checkout form. The system also retrieves the current balance that the library member owes the library for overdue books.</li> </ol>
<ol> <li>After receiving payment, the librarian enters the paid amount information and selects the Update balance button.</li> </ol>	<ol> <li>The system computes the library member's new balance.</li> </ol>

### **Use-Case Description Example (3/4)**

#### **Pre-Conditions**

Use is logged in to the system

#### **Post-Conditions**

New checkout record is added to the Library DB whenever checkout is successful.

#### Rules

Only members with a valid memberID can checkout books. Only books that are found in the system an be checked out. Students cannot checkout books if outstanding fines > \$10.00.

### **Use-Case Description Example (4/4)**

#### Interface

ary System -	Check Out B	IOOKS					
Member ID	1001			Search			
Member 10	1001	Search					
Name	Keith Levi	Keith Levi					
Address	123 Main	123 Main					
Phone	641-472-0	929					
Checked ou	1	,					
Book ID	Title	ISBN	Check-out		Fine		
101	The Presi	785145	3/29/01	4/19/01	\$0.00		
Book ID	102			Search	Check out		
		ne 19th Cent		Search	Check out		
Title		ne 19th Cent		Search	Check out		
Title Authors	Trains of th	ne 19th Cent		Search	Check out		
Title Authors ISBN	Trains of th Biltmore	ne 19th Cent		Search	Check out		
Book ID Title Authors ISBN Availability	Trains of th Biltmore 879854	ne 19th Cent		Search	Check out		
Title Authors ISBN Availability	Trains of th Biltmore 879854 Available	ne 19th Cent		Search	Check out		
Title Authors ISBN	Trains of th Biltmore 879854 Available Iance 0.0	ne 19th Cent		Search Update Bala			
Title Authors ISBN Availability Payment ba	Trains of th Biltmore 879854 Available Iance 0.0						
Title Authors ISBN Availability Payment ba	Trains of th Biltmore 879854 Available Iance 0.0						

## **Recording Design Issues**

> As Use Case descriptions are being developed, questions will arise about how to design or implement aspects of the Use Case

These issues cannot be resolved completely during analysis, but should be recorded in a Design Issues document that grows over time.

Number	Name	Issue	Notes	Design Decision
1	DATA_ACCESS	Making repeated use of JDBC calls to read and write data requires the same code over and over. Better to generalize, but how?	A "data access subsystem" that encapsulates the repetitive steps for JDBC access.	
2	LOGIN	When a user logs in, how do we keep track of the fact that this has happened so that we don't require him to log in again?		
3	CUST_ID	After a user logs in, how do we store in memory the customer ID?		

#### **Design Issues For E-Bazaar**

# **Requirements Analysis Topics**

> A modern software requirements specification (SRS)

### Use-Case Model

- ▲ Use cases drive entire development lifecycle
- ▲ Use case diagrams
- ▲ Use case descriptions

▲ Guidelines for developing use cases

- ▲ Business rules in use cases
- ∧ Structuring complex use cases
- Supplementary Specs
- Glossary
- Review

### **Use Cases DO's**

- Use Cases should be named in a way that suggests the goal of the use case -- that is, the goal of the actor in its interaction with the system for this use case.
- A Use Case should include a set of successful paths from a trigger event to the goal (success scenarios)
- Should also record a set of paths from a trigger event that fall short of the goal (failure scenarios)
- > Evolve to more detail over the lifecycle

### **Use Cases DON'Ts**

> A Use Case should not specify user interface design

- ▲ Usually it is too early to commit to interface details
- Instead, the UI is typically designed on the basis of the requirements.
- However, Use Cases often offer suggestions about the look of the UI as an aid to understand the flows of the Use Case. These suggestions may be adopted, modified, or rejected completely when the UI is designed later on, but the principles they illustrate will survive in one form or another.
- A Use Case should not attempt to specify implementation detail beyond any technical constraints that may have been imposed on the project.

### **Recommended Steps for Creating Use Cases**

- Identify actors
- Name use cases
  - ▲ Start with verb, reflect goal
- Brief description
- Main success scenario
- Pre and post conditions
- Alternate flows
- Exceptional flows—what might go wrong
- Business rules
- Associated non-functional requirements

# **Requirements Analysis Topics**


- > A modern software requirements specification (SRS)
- Use-Case Model
  - ▲ Use cases drive entire development lifecycle
  - ▲ Use case diagrams
  - ▲ Use case descriptions
  - ▲ Guidelines for developing use cases
    - A Business rules in use cases
    - Structuring complex use cases
- Supplementary Specs
- Glossary
- Review

### **Structuring Complex Use Cases**

- Packages
- Use case relationships

### **Organize Related Use Cases in Packages**

- Semantically related groups
- Development groups
- Delivery groups



### **Use Case Relationships**


Decompose complex use cases

### Include

- ▲ used sometimes
- ➢ Extend -- we ignore
- Generalize we ignore

### **Use Case Relationships: Include**

- Common steps used in several use cases
- Subgoals/subflows
- E.g., login, print, valuation



# **Requirements Analysis Topics**

- > A modern software requirements specification (SRS)
- Use-Case Model
  - ▲ Use cases drive entire development lifecycle
  - ▲ Use case diagrams
  - ▲ Use case descriptions
  - ▲ Guidelines for developing use cases
    - ▲ Business rules in use cases
    - ∧ Structuring complex use cases
- Supplementary Specs
- Glossary
- Review

### **Nonfunctional Requirements**

- E.g., performance, security, user sophistication, hardware, software, ...
- > Attach use-case specific ones to use cases
- > Others in supplementary specifications list

# **Supplementary Specification**

- > Functionality
- Usability
- Reliability
- Performance
- Supportability
- Design constraints



Supplementary Specification

## **Supplementary Spec Example (1/2)**

#### **Objectives**

The purpose of this document is to define non-functional requirements of the Library System. This Supplementary Specification lists the requirements that are not readily captured in the use cases of the use-case model. The Supplementary Specifications and the use-case model together capture a complete set of requirements on the system.

#### Scope

This Supplementary Specification applies to the Library System . This specification defines the non-functional requirements of the system; such as reliability, usability, performance, and supportability as well as functional requirements that are common across a number of use cases. (The functional requirements are defined in the Use Case Specifications.).

### **Supplementary Spec Example (2/2)**

#### Reliability

The main system must be running 95% of the time.

#### Performance

The system shall support up to 15 simultaneous users against the central database at any given time.

### Security

None

#### **Design Constraints**


The system shall integrate with an existing legacy system, the ECardCatalog Database, which is a MS Access database running on an Windows NT workstation.

# **Requirements Analysis Topics**

- > A modern software requirements specification (SRS)
- Use-Case Model
  - ▲ Use cases drive entire development lifecycle
  - ▲ Use case diagrams
  - ▲ Use case descriptions
  - ▲ Guidelines for developing use cases
    - ▲ Business rules in use cases
    - ▲ Structuring complex use cases
- Supplementary Specs
- Glossary
- Review

Glossary

- Problem domain terms
- Facilitates common understanding among developers as well as domain experts



Glossary

# **Glossary Example (1/2)**

### 1. Introduction

This document is used to define terminology specific to the problem domain, explaining terms, which may be unfamiliar to the reader of the use-case descriptions or other project documents. Often, this document can be used as an informal *data dictionary*, capturing data definitions so that use-case descriptions and other project documents can focus on what the system must do with the information.

### 2. Definitions

The glossary contains the working definitions for the key concepts in the Library System.

### 2.1 ECardCatalog Database

The legacy database that contains all information regarding books in the library.

### 2.2 Library Member

Person who checks-out books from the library.

# **Glossary Example (2/2)**

### 2.3 Librarian

Person who works for the library and performs the check-in and check-out procedure. This person also manages library member information.

### 2.4 Check-out Book

The procedure done if a library member wants to take a library book out of the library.

### 2.5 Check-in Book

The procedure done if a library member returns a checked out book to the library.

### 2.6 Overdue Fee

This is the amount that the library member has to pay the library when he/she returns a book later than the maximum allowed check-out days.

# **Requirements Analysis Topics**

- > A modern software requirements specification (SRS)
- Use-Case Model
  - ▲ Use cases drive entire development lifecycle
  - ▲ Use case diagrams
  - ▲ Use case descriptions
  - ▲ Guidelines for developing use cases
    - ▲ Business rules in use cases
    - ∧ Structuring complex use cases
- Supplementary Specs
- Glossary

### Review

## **Review Questions**

- What are the main artifacts of requirements analysis, and what are their purposes?
- What is a use case? List examples of use case properties (I.e., the parts of a UC description).
- > What is a scenario?
- > Name 3 elements of a UC diagram.

